



The leader in the manufacture of precision diving equipment

Experience


Dacor has been producing underwater breathing equipment for more than 16 years. Well trained and skilled personnel have, over the years, given Dacor a reputation for the finest in engineering and manufacturing. Since the company's inception, Dacor equipment has been used by professionals in many under-sea projects and has gained an outstanding reputation among the experts.

Quality Line

All the materials used in the manufacture of Dacor equipment are of the highest quality. Dacor products are subjected to rigid quality control standards far in excess of government specifications. Care and safety are part of Dacor's standard of excellence.

Imagination

Dacor maintains a constant and continuing research and development program. Our engineering staff is actively pursuing projects in life support systems, underwater communication and other equipment used in "Man in the Sea" type programs.










DACOR CARE IS SAFETY PROVEN



NOW WITH INTERNAL COATING

New Thermo-Fused Epoxy coating prevents internal corrosion which is a main factor in cylinder failure. These Chrome Molybdenum steel tanks are safety tested at twice the normal pressure. Designed to float when empty. All tanks come with ¾" "O" ring seal for positive air retention.

SINGLE 71.2 CU. FT. TANKS

TG—Galvanized, Bare	69.50
TC-Thermo-Coat, Bare	69.50
TKG—Galvanized,	
Standard Valve	86.00
TKC—Thermo-Coat,	
Standard Valve	86.00
TRG—Galvanized,	
Reserve Valve	102.00
TRC—Thermo-Coat,	
Reserve Valve	102.00

NEW SINGLE 50 CU. FT. TANKS

For those who prefer a smaller (20%) lighter tank. Ideal for diver training units and smaller divers.

64.00
64.00
80.50
80.50
96.50
96.50

COLORFUL DACOR THERMO-COAT

Exclusive fluidized bed process fuses color coating to tank permanently. Finish is bonded to tank at 450 degrees. Thermo-Coat will not chip, fade or peel. Color up your diving . . . choose this special finish. Available in the following colors: (71.2 Cu. Ft. Size)—Navy Blue, Canary Yellow, Jet Black; (50 Cu. Ft. Size)—Navy Blue, Canary Yellow.

DOUBLE TANK BLOCKS—71.2 CU. FT.


Model TRC-2—Thermo-Coat, Reserve Valve	201.50
Model TRG-2—Galvanized,	
Reserve Valve	201.50

DOUBLE TANK BLOCKS— 50 CU. FT.

Model MRC-2—Thermo-Coat, Reserve Valve	190.50
Model MRG-2—Galvanized,	
Reserve Valve	190.50

CUSTOM TWIN PAK

Holds two tanks with dual heavy gauge bands (not designed for quick release). Available in blue and black. Tanks and pak priced separately.





MODEL R-4-TWO STAGE-DOUBLE DIAPHRAGM

This regulator represents the ultimate in breathing perfection. The unit has been used by professionals the world over for more than 15 years. Two large area diaphragms for easy breathing; high polished chrome plating for extra long life. Here is superb design and craftsmanship with built-in reliability to meet every diver's exacting demands at any depth.

89.50

MODEL C-3-TWO STAGE "CLIPPER"

Two hose, two stage model is the highest quality ever offered at a popular price. Same basic features as Model R-4 but without separate exhaust chamber and exhaust diaphragm. This regulator offers extreme ease of breathing with air volume of 30 cubic feet per minute.

DACOR OLYMPIC SINGLE HOSE REGULATORS A COMPLETE NEW LINE OF REGULATORS UNEQUALLED IN EXCELLENCE AND PERFORMANCE

Dacor's engineering staff, after 15 years experience in underwater equipment research, has developed a complete new concept in single hose regulators. Feature for feature, these new precision made instruments are far superior in performance to any other breathing apparatus on the market today. Dacor's Olympic line exceeds performance requirements of Military Specification #MIL-R-24169A. Dacor's rigid standards for excellence require regulators to be tested in fully instrumented facilities. Our research program has subjected these regulators to extreme environmental conditions and atmospheres that far exceed any diving conditions, including heat, cold, corrosion, chemicals.

- Unique "Dual Exhaust" valve system (on Models 200, 400, 800) offers 50% less exhalation resistance than single exhaust units. Tests prove that exhalation is more tiring than inhalation. "Dual Exhaust" valves also make it much easier to purge. Controlled Venturi for effortless intake at any depth.
- Comfort designed mouthpiece and chin rest to fit all face types. Exclusive design stainless steel seat carrier and lever permanently lubricated for reduced friction and uniform air flow.
- Flush purge button.
- · Free rotating hose swivel design permits easy rotation of regulators.

OLYMPIC MODEL 100

49.95

A high performance regulator designed with economy in mind. without sacrificing reliability.

- · Large piston first stage.
- Teflon seat and back-up rings for corrosion resistance and maximum sealing.
- High pressure port for underwater pressure gauge.
 Heavy brass chrome nickel plated body, yoke and yoke screw.

OLYMPIC MODEL 200

This model features the revolutionary "Dual Exhaust" valve system and a machined first stage at a popular price.

- Specially designed first stage diaphragm for extremely fast response
- Teflon coated high pressure seat for dynamic corrosion resistance.
- Heavy chrome nickel plated body.
- Dual spring design eliminates vibration.
- High pressure port for underwater pressure gauge.

OLYMPIC MODELS 400 and 800

These are the ultimate in quality and performance. The finest regulators on the market today. Check these features that make them the best:

- Balanced first stage for absolute minimum breathing effort and maximum air flow, regardless of tank pressure.
- Modular high pressure reduction area permanently sealed at the factory in a controlled dust-free atmosphere for maximum regulator life.
- Special double filtering system traps particles in the air down to ten millionths of an inch and prevents these impurities from contaminating the regulator.
 Stainless steel reduction nozzle assures extremely long wear.
 Dual spring design eliminates vibration.


- Ultra-fast responding diaphragm for maximum response.
 Unique "Dual Exhaust" valve system for minimum exhalation resistance.
- High pressure port for underwater pressure gauge.
- Heavy forged navy brass body is chrome plate.
 Special conversion—this Model 400 can be converted to a
- reserve valve unit by adding a modular reserve mechanism. (Model MRV).

MODEL 800 has all the fine features of the Model 400 but also includes the modular constant reserve system set at 300 P.S.I. with all stainless steel moving parts.

OLYMPIC MODEL 400 — 80.00 OLYMPIC MODEL 800 — 100.00

MODEL MRV MODULAR CONSTANT RESERVE SYSTEM

For converting Model 400 into a reserve valve unit. Set at 300 P.S.I. with all stainless steel moving parts (not shown).



VIEW THE UNDERWATER WORLD THROUGH DACOR MASKS

A MODEL DM-10 UNIVERSAL*
DACOR'S most popular mask features slanted design for greater visibility. This mask has set a standard as the finest sealing mask in the world. Available in blue and black.

5.50

B MODEL DM-12 TRITON*
Straight upward movement makes for easier equalizing with gloved hands. Patented separated nostril pads close nostrils without interfering with web between nostrils. Features purge valve for easy water clearing. Available in blue and black. 7.50
MODEL DM-13 TRITON*

Same as DM-12 but without equalizer pads. Available in blue and black.

© MODEL DM-14 SEE RITE*
20% more side visibility with this specially designed mask for wider faces. Features purge valve to clear water easily. Available in blue and black.
6.50

MODEL DM-15 SEE RITE*
Same as DM-14 but without purge valve. Available in blue and black.

D MODEL DM-16 VEDO
Mask is specially designed so that you can easily substitute your own

you can easily substitute your own prescription lenses. "O" ring insures against leakage; includes lens tool. Black only. 10.95

MODEL DM-17 MONDIAL

PROFESSIONAL MASK
This is our deluxe mask for the diver who wants the best. Maximum leak-proof double feather edge is contoured to fit the face perfectly, eliminating facial fatigue. Minimum air volume between diver's face and lens, easy to equalize. Available in blue and black.

[MODEL DM-22 MINI-MONDIAL]

F MODEL DM-22 MINI-MONDIAL PROFESSIONAL MASK Same as Mondial DM-17 but 20%

smaller in size. Black only

MODEL DM-25 MINI-PRO
At last, a professional mask for the smaller face. All of DACOR's finest

smaller face. All of DACOR's finest features including easy equalization finger wells. Ideal for women and younger divers. Black only.

H MODEL DM-30 EQUALIZER*

Features the soft, excellent sealing qualities and comfort of our famous DM-10, but has finger wells for easy equalization. Purge valve. Available in blue and black. 7.50

MODEL DM-31 EQUALIZER*

Same as DM-30 but without purge valve. Available in blue and black.
6.50

MODEL DG SWIM GOGGLES
Championship type. Soft double feather edge for leak-proof seal.
Tempered lens. Close to face design to eliminate drag.
4.50

MODEL PVA PURGE VALVE
ASSEMBLY KIT
Fits all purge valve masks. Rubber body and valve with chrome plated brass disc.

1.50


Rubber is compounded to resist ozone, sun and salt

 Special care and attention are given to the feather edges for sure-seal fit and long-wearing comfort

• Tempered lenses and stainless steel rims


 Chrome-plated brass strap buckles


*Available in military anti-magnetic models. Prices and specifications upon request.



CORDA FINS

Longer blades and heavier side rails now deliver astonishing speed and more power! Finest quality rubber, designed for untiring use, ideally balanced for maximum efficiency. Comfortable full foot design provides protection against rock and coral. Sizes 2 through 15 in Black (non-floating) and Blue (floating).





C1112U

C1315U

11.95

12.95

C1112K

8


Size 11-12


C1315K Size 13-15

Size 11-12

Size 13-15


12.95






TURBO FINS—POWER WHEN YOU NEED IT

At last, a scientific breakthrough in fin design that allows every square inch of the fin surface to propel you underwater. You control the propulsion with this fin. Kick easy and you glide; kick hard and you have POWER...WHEN YOU NEED IT. Turbo fins are a product of 15 years of research and experience in underwater design and manufacture. We waited until we had the best... and this is it. Available in large and small sizes in black (non floating) and blue (floating).



DTK—Large Black, Sizes 8 and up 18.95 MTK—Small Black, Sizes 4 to 8 14.95

DTU—Large Blue, Sizes 8 and up 19.95
MTU—Small Blue, Sizes 4 to 8 15.95



SCIENTIFICALLY DESIGNED FOR MAXIMUM PERFORMANCE

DACOR ALL RUBBER SNORKELS—

Long wearing black rubber compounded to resist sun, salt, and ozone. Comfortable, odorless and tasteless mouthpiece. Original orange "Glo-Top" — not a paper decal—but a special flexible plastic that actually reflects light. It's iridescent!

MODEL UST—UNIVERSAL "GLO-TOP® SNORKEL—

This most popular type snorkel delivers maximum air volume under all conditions. The universal favorite of divers the world over. Comfortable lug type mouthpiece. 2.20

B MODEL LST—"L" SHAPED "GLO-TOP"® SNORKEL—

New design minimizes drag by reducing tubing below head level. Comfortable lug type mouthpiece.

2.70

© MODEL FST—SPIRAL-FLEX "GLO-TOP"® SNORKEL—


Flexible spiral hose bends to any shape or angle, spins water out, won't crimp or shut off air. 3.30

D MODEL RST—FLEXIBLE "GLO-TOP" SNORKEL—

Comfortable lug type mouthpiece with non crimping hose molded as one part. 3.30

E MODEL GST—WRAP-AROUND BIG BARREL SNORKEL—

The first major improvement in snorkel concept and design in many years. Made especially for the expert skin diver who needs that extra volume for deeper dives. "Wrap Around" design fits contour of head and minimizes water resistance while diving. Extra large diameter barrel allows easier volume intake, yet it is exceptionally easy to clear. Short length minimizes CO₂ build up and eliminates drag in water. High impact clear plastic construction, molded rubber lug-type mouthpiece and "Glo-Top." 4.50



FIBERGLASS POLE SPEARS

Designed for easy action, minimum water resistance, and maximum strike power—just the perfect balance that makes these spears, feature for feature, the expert hunter's choice. Tapered fiberglass shaft is lightweight but strong. All fittings are marine grade aluminum and all threads are teflon coated. Black high-recovery surgical tubing is adjustable to the individual diver's requirements. All models come with detachable head.

MODEL ESP ALUMINUM POLE SPEAR

A new and different twist to the pole spear design. Just a twist of the wrist for extension and locking. Adjustable underwater from 42-in. to 106-in. Heavy-wall anodized marine aluminum tubing, stainless steel shaft. Excellent for use with powerheads.

24.95

B MODEL HSL POLE SPEAR

7 ft. 6 in. length. Breaks down for easy carry and storage. 17.95

MODEL HSM POLE SPEAR

5 ft. 8 in. length. One piece shaft.

D MODEL HSS POLE SPEAR

4 ft. length. One piece tapered shaft. Ideal for close-in work and gig. 10.95

SPEARHEADS

E MODEL ESP-2-1 Single barb.

2.25

F MODEL TPG-2-1

Double barb, stainless steel. 4.95

MODEL DSA-2-1

Adapts metric shafts to S.A.E. threaded heads. (Not shown.) 1.50

NYLON GAME BAGS

One of the most useful and versatile diver's accessories. Use as game bag for lobster and fish or for collecting objects underwater. Strong mesh nylon, galvanized metal hoop opens on hinges and locks closed with stainless steel clip.


G MODEL LBB LARGE GAME BAG

18" wide x 30" deep.

H MODEL SBB SMALL GAME BAG

15" wide x 22" deep.





A COMPLETE LINE FOR THE UNDERWATER HUNTER

All the finest and most important features necessary are incorporated to make Dacor's gun line the ultimate in engineering and design. Special care and attention have been given to the most important part of the gun—the firing mechanism. How did Dacor do it? 15 solid years of experience in making the finest underwater diving equipment, 5 years of research and development in underwater weaponry alone, professional advice from many spearfishing champions—all have given Dacor the best background in the business for producing a total high performance line of guns.

DACOR PNEUMATIC SPEARGUNS

The Ultimate Underwater Weapon for Velocity...Impact...Penetration

These guns will solve the expert diving hunters' biggest problems: acquiring maximum killing power and fast, easy reloading under difficult circumstances.

- Spear piston of hardened steel with rubber molded packing eliminates pressure loss and minimizes friction and wear
- Damage proof shaft tail for positive shaft to piston hook-up
- Reserve cylinder can be loaded up to 20 atmospheres for maximum velocity
- Exclusive recoil device absorbs piston energy for greater accuracy
- Stainless steel sear mechanism for fail-safe shaft release
- Hand-contoured pistol grip inspired by designs used in Olympic pistol competition
- Specially weighted neutral balancing for underwater sighting and firing eliminates strain and fatigue
- Fiberglass reinforced Cycolac trigger housing able to withstand 4 times normal working pressure
- 300 series stainless steel %" shaft for greater strength and impact
- All guns come with 2-barb stainless steel spearhead

MODEL TPG TRIJET—Loads Easy...Shoots Hard

In the past, the problem with pneumatic guns has been that the harder they shot, the harder they shot, the harder they were to load. The Dacor TRIJET with revolutionary 3-position firing has now made it possible to load a gun pumped up to 20 atmospheres as easy as if it were pumped up to 5 atmospheres. The secret is in the 3-position system. First you load the gun in position #1. Once loaded, you switch to #2 position for medium force or #3 position for maximum fire power. 50-in. length.

AEROJET

Same fine features as TRIJET but without three position firing and reserve cylinder.

MODEL MPG AEROJET 50—50 inch length 95.60

MODEL SPG AEROJET 40—40 inch length 86.70

STEN GUNS

New addition to Dacor's pneumatic gun line. Shorter length, highly maneuverable for use in short to medium range. 15 atmosphere capacity.

MODEL MSG STEN GUN—26 inch length 49.50

MODEL SSG MINI-STEN GUN—21 inch length—2 position firing.

54.50

43.35

STINGRAY RUBBER POWERED SPEARGUNS Feature for Feature . . . The Best And Most Dependable

- All internal parts of 300 series stainless steel; handle and barrel of anodized marine aluminum for maximum corrosion resistance
- Friction free bearing design on all sear pivots for fast, smooth shaft release
- Separated wrap-around elastics for more uniform loading
- Smooth-action trigger pull does not increase with additional rubber load
- Thumb control "silent safety"
- Automatic line release and shockcord
- Straight back trigger pull for improved balance and more natural squeeze action

- 3/8 in. stainless steel shaft for greater strength and impact
- Quick assembly and disassembly for easier maintenance and cleaning
- · Gun floats without shaft
- **LE47**—3 Rubbers—47" Length 2 Barb Stainless Steel Spearhead

ME43—2 Rubbers—43" Length 2 Barb Stainless Steel Spearhead

SE35—2 Rubbers—35" Length 2 Barb Stainless Steel Spearhead

WE24—2 Rubbers—24" Length Single Barb Spearhead **32.00**



SUPERIOR IN QUALITY AND DESIGN

A MODEL JV 3/4-2 DOUBLE TANK VALVE

Connects two tanks for twin operation. Spring-loaded reserve type, of heavy brass, chrome plated for longer life. Rugged center section withstands severe stresses; large knurled knob for easy shut off. 34" "O" ring seal. Reserve set for 300 PSI. 64.50

BMODEL KV 34 VALVE

34" "O" ring seal standard "K" valve made of heavy forged brass with copper, nickel and bright chrome finish. Large knurled knob is easy to shut off with gloved hands.

C MODEL JV 34 VALVE

34" "O" ring seal, spring-loaded reserve valve in bright chrome finish. Easy-to-use large knurled shut-off knob. 300 PSI reserve is fool-proof and reliable, design is simplified for accuracy and service free operation.

36.00

MODEL PTB PLASTIC

New economical all plastic boot supports tank in upright position, protects tank and prevents damage to pool tile and other surfaces. Available in black and yellow 3.95

E MODEL TB TANK BOOT

Supports tank in upright position, protects tank and eliminates damage to pool tile and other surfaces. Made of sun and salt resistant non-marking rubber. Available in blue, black and yellow.

5.50

CUSTOM CONTOURED BACK PAKS—

F MODEL QDP- DELUXE PAK

Body contoured for correct tank position and maximum comfort, self locking over-center cam for quick tank change. Large comfortable handle for easy carrying. Handle locks against band when not in use. Quick release snaps at shoulder. Waist has exclusive "Quik-Ditch" buckle. High tensile strength 2" nylon webbing for durability. Made of heavy gauge marine aluminum with rugged Thermo-Coat finish. Two inch wide 300 series adjustable stainless steel band for strength and corrosion resistance. All hardware also of 300 series stainless steel. Available in blue and black. 25.50


G MODEL SDP—STANDARD PAK

Same as above, but without handle and cam. 17.95

MODEL CDP-2— DOUBLE TANK PAK

See page 3 for illustration and description. 26.95





PROVIDE YOU WITH THE MAXIMUM IN SAFETY!

MODEL FDV FOLD-AWAY INFLATABLE VEST—

A standard size vest that folds into a small compact pouch which measures only 10" x 16". When inflation is required pouch opens automatically. Heat fused seams with binding for added strength and comfort. Oral inflator. Uses 16 gram CO₂ cartridge. Available in orange. 32.45

B MODEL DV-3 INFLATABLE VEST—

Designed in rubberized nylon with form fitting collar and heat fused seams with special edge binding for added strength. Shorter and more comfortable, it does not interfere with weight belt. Features slit pocket, quick release harness. Oral inflator. 16 gram CO₂ cartridge. Available in orange and charcoal.

C MODEL SF-1 SAFETY FLOAT-

Excellent for use as a safety float, marker buoy, lifting device, and spearfishing aid. New design features 100% corrosion resistant Cycolac housing. Small and compact, yet large enough when inflated to support a 200-lb. man. Lever action inflates easily. Special cartridge retainer makes it easy for you to remove and replace low-cost seltzer cartridges which are available everywhere. Colors: yellow and black. 7.95

D MODEL SF-2 DOUBLE SAFETY FLOAT—

Same features as above but larger in size with double cartridge, one at each end. Double float equipped with harness. Colors: yellow and black. 12.95


EMODEL DSF DIVERS SAFETY FLAG—


A necessary safety precaution. Attaches to inner tube by corrosion resistant metal bracket and adjustable strap. Three foot, black fiberglass shaft holds standard 12" x 15" international divers' flag. Flag is supported in outright position. 6.95

MODEL IDF INFLATABLE BUOY WITH DIVER'S FLAG


Unique water compartment in base keeps flag in upright position even in rough water. Self-righting, bright red and white color. Use as marker buoy, diver's flag, and resting flotation device. "DIVER BELOW" spelled out in large block letters. 9.95








NOTHING BUT THE BEST FOR THE WET SET NEW DACOR THERMO-SKIN WET SUITS FOR MEN AND WOMEN



New blue nylon lined THERMO-SKIN is softer and stronger —twists, bends and moves with you—for maximum com-fort and heat retention. Tuff-textured exterior with nylon lining bonded to closed cell neoprene. Every suit is contoured to fit perfectly. Suits have twist locks, high collars, triple glued sewn seams and high waisted pants. 5 heavy duty zippers.



MEN'S SUIT AND JACKET SIZE CHART

The state of the state of the	Small	Medium	Large	X-Large
Chest	34-36	37-39	38-41	41-44
Walst	30-32	32-34	34-36	36-40
Weight	125-150	150-170	170-190	190-220
Height	5-5 5-9	5-7 5-11	5-10 6-2	5-11 6-3

WOMEN'S SUIT AND JACKET SIZE CHART

	Small	Medium	Large
Bust	32-34	34-37	36-38
Waist	22-24	23-26	26-30
Hips	32-36	34-38	36-40
Weight	100-120	110-130	125-145
Height	5-0 5-6	5-2 5-8	5-4 5-10
Dress	10-12	12-14	14-16

MOMEN'S WET SUIT
Features an additional easy entry zipper, form fit bust cut, and contoured

Model WS3—Women's jacket and pants—3/16" Tuff-Textured exterior blue nylon lined. 79.00

MEN'S WET SUIT
Model MS3—Men's jacket and pants—
3/16" Tuff-Textured exterior — blue - blue nylon lined. 79.00 Model MS4—Men's jacket and pants— 1/4" Tuff-Textured exterior—blue nylon

C DSKI JACKETS

A buoyant jacket with unique underarm design that allows freedom of move-ment while skiing or surfing. 3/16" Tuff-Textured exterior, blue nylon lined interior, all seams triple glued and sewn, one zipper, crotch strap with twist locks.

Model SJM--Men's ski jacket Model SJW-Women's ski jacket 29.95

ENEW MEN'S SMOOTH-SKIN NYLON LINED WET SUIT Designed for the diver who wants a quality 3/16" two-piece wet suit at an economy price. Features 5 zippers, glued seams, twist locks. Model ES3

FHOODS

Contoured three piece crown with full chin piece and long gauntlet front and back for maximum protection and comfort. Tuff-Textured exterior, blue nylon

lined. Sizes Small, Medium, Large. Model HD3—3/16" hood Model HD4—1/4" hood 8.20 8.60

G 3 FINGER MITTS
Three finger mitts — inset thumb with sewn stress points. Provides protection and insulation. Tuff-Textured exterior, blue nylon lined. Sizes Small, Medium, Large.

Model MT3—3/16" Mitt Model MT4—1/4" Mitt 7.90 8.30

84.00 H 5 FINGER GLOVES

Five finger gloves—inset thumb with sewn stress points. Provides comfortable and easy movement for all fingers and thumb. Tuff-Textured exterior, blue nylon lined. Sizes Small, Medium, Large.

Model GL8—1/8" glove Model GL3—3/16" glove 9.00

SOFT SOLE BOOTS


Tuff-Textured exterior, blue nylon lined, with stress points sewn. Sizes Small, Medium, Large, X-Large. Model SB3—3/16" boots Model SB4—1/4" boots 8.10


HARD SOLE BOOTS

Hard traction sole, nylon lined top, with stress points sewn. Tuff-Textured exterior, blue nylon lined. Sizes Small, Medium, Large, X-Large. Model HB3—3/16" boots Model HB4—1/4" boots 8.80

MODEL SC-SUIT CEMENT

4 oz. can





ALWAYS ACCURATE AND EASY TO READ MODEL ODG—OIL FILLED DEPTH GAUGE

When accurate measurements are a necessity, this highly sensitive diaphragm-operated gauge can be relied upon from 0 to 250 feet within 1% accurate. Recalibratable for altitude differences. Easyread dial with luminous numbers.

B MODEL CDG—DEPTH METER

Here's a new easy to read depth meter that is economical and accurate. Capillary type. Measures to 250 ft.

DACOR AUTOMATIC CALENDAR WATCHES

Finest quality 17-jewel movement is pressure tested to 1000 feet. Rotating bezel, luminous dial and anti-magnetic. Stainless steel case.

- MODEL ACW-Men's Automatic Calendar Watch.
- D MODEL LCW-Ladies' Automatic Calendar Watch.
- E MODEL DC DIRECTIONAL SIGHTING COMPASS

Accurate pressure proof compass en-cased in high impact plastic case with centering bubble for easy leveling. Easy to read luminous markings. Comfortable molded rubber strap.

FMODEL DGR100- DEPTH GAUGE

Highly accurate, corrosion resistant mechanism in hermetically sealed case. Large luminous dial for easy reading. One piece molded rubber case and strap for extra gauge protection. Reads to 100 feet. 13.95

MODEL DGR200- DEPTH GAUGE Same features as above but reads to 200 feet (not shown).

MODEL PGR-DELUXE TANK PRESSURE GAUGE

Chrome plated brass model features shock resistant neoprene gauge cover. Large knurled relief screw is easy to turn; yoke swivels, enabling gauge to be turned for easy reading. Body is machined from solid brass stock, forged yoke and screw.

H MODEL WC-WATCH BAND COMPASS Find the way with this small, accurate and easy to read compass. Precision made mechanism with high impact crystal. Dial has luminous directional arrow and is balanced for free movement on a frictionless bearing. Fits on watch band or depth gauge strap.

MODEL GPS—PRESSURE SETTING GAUGE For Dacor Olympic and most newer single

hose regulators.

MODEL PSG-PRESSURE

SETTING GAUGE

Designed to correctly set pressure in first stage of Dacor Dart single hose regulators or in Dacor two hose regulators with adaptor. Complete with bleeder

MODEL PSGA


Adaptor for Dacor two hose regulators (not shown).

MODEL DPG-UNDERWATER AIR PRESSURE GAUGE

Gives continuous tank pressure reading while diving. Allows you to accurately time your dive. Rubber-covered case protects against damage. 12,000 PSI high pressure hose. Fits single hose regulators and valves. 24.95

MODEL BK-DIVING FOR FUN

A current, up to date book and manual of basic diving combined in one. A must for the beginner, a necessary reference for the expert diver and instructor. Author Joe Strykowski, well known authority, provides the reader with entertaining and informative guide to diving fun. 3.25



DACOR AIR STATION ACCESSORIES ARE FINEST QUALITY AND CONSTRUCTION!


A FINAL FILTER

For removal of all foreign contaminants as small as microscopic dust particles. 10 micron reusable stainless steel filter removes easily for cleaning. Attaches to filling attachment or storage tanks. Brass body. "O" ring seal, 3500 lb. working pressure.

10.00

- B MANIFOLD TEE—For connecting pigtail to storage tank valve.

 8.15
- © STANDARD FILLING ATTACHMENT—Same as Deluxe Filling Attachment but without line valve. 32.50
- **DPIGTAIL CONNECTOR** For connecting storage tanks together. 9.15
- E DELUXE FILLING ATTACHMENT—Featuring all brass, high pressure fittings, 6-ft. long high pressure hose has minimum burst pressure of 11,000 PSI. Includes line valve and bleeder valve. Comes with 3,000 lb. gauge. 44.50
- FLINE VALVE—Easy on and off fingertip control. Forged brass body, 3500 PSI working pressure. 1/4 " N.P.T. male and female thread. 12.00
- © STORAGE TANK VALVE—Forged brass, 3/4" thread, easy turn knob. 9.75
- H ACTIVATED CARBON (Charcoal)—For use in air filter systems. Dust free. One gallon can. 4 x 10 mesh. 4.75
- ACTIVATED ALUMINA—For use in air filter systems. One gallon can. 9.15
- DACOR COMPRESSOR OIL—Especially formulated for use in high pressure compressors such as Rix, Worthington, Joy, Ingersol Rand. Exceptionally low in carbon content and compounded for "continuous use" lubrication. One gallon can.
- K TANK THREAD REDUCER-1" to 1/2". 3.55
- LPLUG—¼" N.P.T.



DACOR FITTINGS ARE MACHINED FROM SOLID BRASS BAR STOCK 3,000 P.S.I. WORKING PRESSURE


MHEX NIPPLE-1/4" N.P.T.

N ELBOW-1/4" N.P.T.

2.45

O AIR STATION GAUGE—First and only gauge of its type, designed and made specifically for air stations. Large clock-size 10" dial can be read from 40 feet away. 0-5000 PSI calibration, heavy duty 11½" metal case with safety front, recalibrating screw, stainless steel Bordon tube, ¼" male N.P.T. outlet.

- P TEFLON TAPE—Useful thread sealing material replaces the paste-type sealants. Handy roll is ½ x 288" long. **4.35**
- NUT AND TAIL PIECE—For storage tank valve, 1/4" N.P.T.
- R STREET ELBOW—With male and female threads, 1/4" N.P.T.
- S E-Z SEAL "O" RING—for most older valves replaces white Teflon seals.
- T STANDARD VALVE FACE "O" RING. .40
- MANIFOLD—Application for multiple fillings. Four 1/4" N.P.T. outlets. tank 6.95
- V COUPLING-1/4" N.P.T. 2.80
- W "O" RING LUBE—Specially formulated for use in underwater breathing regulators and valves . . . non-toxic, non-water soluble. 3 oz.
- X YOKE NIPPLE AND NUT-1/4" N.P.T. (yoke and screw not included.) 2.80
- Y TEE-1/4" N.P.T. 3.65



One Man Portable **Decompression Chamber**



Control Panel

Quick acting door lock Relief valve

Lifting handles 40 cu. ft. 1980 psi oxygen cylinder 110 cu. ft. 1980 psi HP air cylinder

Fabricated in light aluminum alloy, this chamber is designed for use in small craft or shore locations. The chamber is designed for one man and is completely self contained, having its own supplies of compressed air and oxygen strapped to the outside of the chamber. This feature allows the chamber to be transported by road, helicopter or boat for emergency operations in

remote locations. Alternatively, it allows a diver to receive decompression treatment while en route to a large static decompression installation, and provision can be made on the chamber to allow transfer-underpressure.

An outstanding feature of the unit is the specifically designed quick action door, which allows it to be opened or closed in seconds, thus saving valuable time. The chamber has an overall length of 7 ft. 6 in. and has a working pressure of 75 psi. The overall height is 3 ft. and the weight less cylinders is 520 lbs.

Special literature listing prices, specifications and accessories sent on request.



87,000 candle power sealed beam with concentrated power for extra long visibility underwater. This is the light used by leading organizations in their deep diving projects. Not a land light revamped for diving, but a specially designed diving light with depth compensating seals. Uses 6-volt battery available everywhere. It floats! Guaranteed leakproof to 700 feet.

Model UC-10 housing with electric eye Instamatic 134 camera for automatically accurate exposure setting. Flash attachment has coiled extension cord for professional flash off 89.95

Corrosion-proof permanent finish with exclusive white reflector for the best light diffusion underwater.

New improved underwater camera housing with Instamatic 124 flash cube camera has stronger contoured handle grips for steadier shooting and gold plated contact points for positive flash. New type rubber pressure mounts in rear of case eliminate camera shifting. Camera housing has "O" ring sealed controlled shafts. For clearer, sharper underwater pictures, we recommend Model FA Flash Attachment. Camera adjusts to proper lens speed auto-matically when flash is attached and complete unit operates to 200 64.95

stainless steel blade will keep its edge far longer than ordinary diving knives! With molded non-slip rub-ber handle and combination leg and waist sheath. Exclusive serrated saw edge; markings on blade for measuring abalone. 13.95


Buckle features quick action tongue which guarantees "full open" position when opened for any emergency. Belt will not slide when closed. Available in yellow, blue or 4.95


Built-in restricted orifice reduces air volume for slower inflation, providing safety. For use in filling auto tires, inner tubes, and other items.

Attach to diving cylinder valve for 9.95

Two pound custom contoured lead weight containing nickel for the diver who wants a better quality weight with a smoother finish and














Those who want the best...dive Dacor

